

Mr. Ashok R. Desai, a qualified Civil Engineer and Post Graduate in Construction Management has an experience of 18 years in executing industrial projects both in India & abroad. He has worked as an employee in reputed companies like L & T, ECC Group and executed projects such as thermal power plants, IT parks, sports stadiums and housing projects for Russian Military in Russia.



Since inception, we "Anish Scaffolding" are engaged in manufacturing and hiring of quality range of formwork and scaffolding systems. The durable structure and easy to install properties of our range enable us to meet the growing demands of industrial construction, Residential, Commercial, Pharmaceutical, Petrochemical and shipbuilding sectors.

Our dexterous workforce enables us in attaining immense success in the domain with its industrious and meticulous efforts. The professionals are well aware of industry standards and allow us in regular upgradation of our range to meet the exact demands of our clients. Further, it is owing to their skill sets that we are able to provide excellent after sales services to our domestic customers.

With the support and guidance of our mentor, Mr. A. R. Desai, we are able to maintain highest quality standards in our business operations. He works in tandem with the professionals in order to guide them throughout the production process and thereby enabling them to meet the exact demands of our clients.

# ABOUT OUR COMPANY

01

## CUSTOMER SATISFACTION

We, at "Anish Scaffolding" ensure customer satisfaction through supply of world class quality products and timely delivery.

02

## OUR QUALITY POLICY

"Through a strategy of continuous improvement in delivery schedule and team work, we are dedicated to establish the highest industry standards for quality, value service and safety".

03

## ACTIVITIES

M/s Anish Scaffolding is presently engaged in supplying and installation of scaffolding for various requirements of high-rise building construction, Glazing works, painting works, repairs, cleaning etc.



EXPERTISE IN DESIGN



MANUFACTURING



ERECTION AND  
DISMANTLING OF  
SCAFFOLDING



QUICK SUPPLY

## WHO WE ARE?



ANISH SCAFFOLDING IS LOCATED IN BANGALORE, INDIA. THE COMPANY PROVIDES COMPLETE SCAFFOLDING AND FORMWORK SOLUTIONS FOR THE VARIOUS INDUSTRIAL, RESIDENTIAL AND INFRASTRUCTURE PROJECTS.



WE ARE PASSIONATE



HONEST AND DEPENDABLE



100% CLIENT SATISFACTION



AWESOME SUPPORT

-M/s Anish Scaffolding



# PRODUCTION UNITS

## OUR FACTORY GALLERY



## OUR WAREHOUSE GALLERY



# OUR EHS POLICY

## GOALS

We at Anish scaffolding commit to Health and safety of our work force. :

- Showing the commitment of Anish Scaffolding management and workers to health and safety.
- Aiming to remove or reduce the risks to the health, safety and welfare of all workers, contractors and visitors, and anyone else who may be affected by our business operations.
- Aiming to ensure all work activities are done safely.

## RESPONSIBILITIES

Management (the supervisor and / or manager) is responsible for providing and maintaining:

- A safe working environment.
- All EHS requirement for the workers.
- A specific certificates provided by the customer according to the EHS requirement.
- Any information, instruction, training and supervision needed to make sure that all workers are safe from injury and risks to their health.
- A record for the EHS regulation and violation.
- Information, instruction, training and supervision that is reasonably necessary to ensure that each worker is safe from injury and risks to health
- A commitment to consult and co-operate with workers in all matters relating to health and safety in the workplace
- A commitment to continually improve our performance through effective safety management.

## WORKERS ARE RESPONSIBLE FOR

- Ensuring their own personal health and safety, and that of others in the workplace.
- Complying with any reasonable directions (such as safe work procedures, wearing personal protective equipment) given by management for health and safety.
- Wearing personal protective equipment and clothing where necessary.
- Complying with any direction given by management for health and safety.
- Not misusing or interfering with anything provided for health and safety.
- Reporting all accidents and incidents on the job immediately, no matter how trivial.
- Reporting all known and observed hazardous to their supervisors or managers.

## APPLICATION OF THIS POLICY

We seek the co-operation of all workers, customers and other persons. We encourage suggestions for realizing our health and safety objectives to create a safe working environment with a zero accident rate.

This policy applies to all business operations and functions, including those situations where workers are required to work off-site.



# PRODUCTS



## CUPLOCK SYSTEMS

We are engaged in manufacturing and supplying a quality range of Cup Lock Systems. Owing to the cup lock mechanism, these systems are known for enhanced stability and hence, offer excellent support to the steel as well as the timber form works. These are simple and easy to erect as a result of which these economical scaffolding systems are widely used across the country. Due to the easy erection and dismantling, these are ideal to be used in light as well as heavy loading applications.

## CUPLOCK VERTICAL

Cuplock Vertical offered comprises quality finished scaffolding parts that come in different diameter choices as well as thickness options like 2.9, 3.2, 4.0mm and others. Further, for matching up with the specific usage conditions, these can be offered in surface finish options of hot dip galvanized, painted and others as per industry standards like EN74, BS1139. Some of its features include providing for durable usage, allows easy assembling/disassembling, standard component support including diagonal, bottom & top cup, ledger blade; different surface finishes like hot dip galvanized, painted and others; choice of different colors like blue paint, yellow paint and others; different thickness options like 2.75, 3.25 mm; finding application in areas like tunnel, shipbuilding, railway, civil building and others.

- ☐ Scaffolding Cuplock are available in the following sizes:
- ☐ 0.5 Meter
- ☐ 1 Meter
- ☐ 1.5 Meter
- ☐ 2 Meter
- ☐ 2.5 Meter
- ☐ 3 Meter

## CUPLOCK LEDGER TRANSOM

Ledger Transom offered can be made available by us in different surface finish choices like hot dip galvanized, painted and others as per the specific demands of the customers. The quality finish provided provides for excellent performance support and provides working as modular system scaffold with wedge fixing so as to meet all access scaffold needs. Some of its features include wedge fixing support of ledgers & transoms for allowing simple and fast erection support, allows for rigid 4 way fixing support, comes with standard spigot and wedge fitting support for achieving defined vertical alignment, expertise in offering total solutions for any project.

- Ledger are available in the following sizes:-
- ☐ 0.5 Meter
- ☐ 0.9 Meter
- ☐ 1 Meter
- ☐ 1.2 Meter
- ☐ 1.5 Meter
- ☐ 2 Meter
- ☐ 2.5 Meter



## OPEN END TRANSOM

Open End Transom offered feature precision design & construction finish and perfectly meet the demands of outward or top hung usage. We can offer it in bar thickness options of 2.0mm, 3.0mm and others and supports the needs of restricting of opening angle. Further, these finely polished vertical or standard open end transoms can be offered in material grade options of SS304, SS301, SS202 and others. Some of its features include square groove finish, available in different length choices of 8'10", 12' and others; can be made available as per OEM/customized specifications.

## INTERMEDIATE TRANSOM

Intermediate Transom offered features quality construction finish and as cup lock scaffolding system it perfectly match up to the specific working requirements of the customers. These intermediate transoms for cup locks also come with superior bearing capacity as well as provide for stable usage that offers lasting usage value. Some of its features include allows for easy assembling/disassembling support, can be offered in standard/OEM specifications, choice from extensive available stock or custom sizes, different surface finishing like galvanized, painted, standard choices of EN74, BS; available in different standard and customized finish lengths among others



# FORM PRODUCTS



## M.S FLOOR FORM

Avail from us a premium range of Centering Sheets or Floor Forms. We manufacture these using 2 mm thick sheets that are folded from all sides with suitable slots provided with stiffener. Along with this, it is also available with adjusters to effectively fill up odd shape of slabs as per the application requirements.

## MS ADJUSTABLE TELESCOPIC PROPS

We have in-depth expertise in manufacturing and offering adjustable MS Adjustable Props. The props we offer are available with reliable support to beams and slabs from the floor level. Usage of high grade material offers high load bearing capacity to the adjustable props that also have the option of cast iron nut & lock. This helps in adjusting the length to the desired position. In addition to this, we can also custom design the props as per the specific requirements of clients.



## ADJUSTABLE ACROSPAN SYSTEMS

This acrospan is used in industrial applications and is acclaimed for its quality performance for years. This span is available in standard and customized options. It has high mechanical strength and is efficient as well. This span is widely applicable in different applications. This span is free from defects and has smooth texture. We are offering this span at economical price.

- Features:
- Free from corrosion
- Perfect strength
- Durable

## FIXED U HEAD

Fixed U Head offered come in quality construction finish and can be made available in both standard as well as customized finish specifications to pick from. With use of hot rolled steel as per EN, BS standard, we can offer these heavy duty shore/props fixed U heads with surface finish options of zinc plating hot dip galvanized, painted and others. Some of its features include available in different weight finishes, choice of different lengths, precision fabricated finish in both standard as well as customized construction options.

## ADJUSTABLE U HEAD

Adjustable U Head offered is made available by us in quality hot rolled construction finish as well as with superior adjustability provision. The use of metal can be as per EN, BS and other industry standards with features like superior bearing capacity, good stability, allowing for convenient usage, choice of galvanized/hot dip galvanized surface finish and others. Some of its features include excellent quality and competitive price combination, available in standard/OEM specifications, well defined production approach where whole process from material to finished products can be traced so as to assure quality and lasting finish in the end products.

# FORMWORK ACCESSORIES

We are one of the pioneers in the industry engaged in offering a high quality range of **Shuttering Accessories** to the customers. These accessories are perfect to be utilized by the clients in different industries and sectors. Moreover, we check the quality of these products on certain well-defined parameters to gauge their flawlessness. In our product range, we offer **Anchor Nuts, Tie Rods, and Wing Nuts** in the market.

## TIE ROD

Our range of high quality Tie Rods is made available to the clients in varied grades, dimensions and other specifications. These rods are designed by a team of highly skilled professionals, in compliance with the international quality standards. Moreover, we can customize these rods as per the exact details specified by the esteemed patrons.

Following are the quality attributes of these products:

- Flawless finish
- Perfect design
- Durable standards



## WING NUT

Our company has risen to prominence in the manufacturing, supplying and exporting of Wing Nut. These nuts are very strong and have high tensile strength. In addition to this, these are available in plethora of shapes, sizes and specifications. Due to their dimensional accuracy and impeccable finishing, these nuts are widely demanded by our clients. Apart from this, these wing nuts are available in bulk at competitive prices.

Features:

- Very strong
- High tensile strength
- Impeccable finishing



# CUPLOCK SCAFFOLDING FITTINGS

## SOLE PLATE

Foot Plate Scaffolding System offered feature precision design & construction finish and find suitability for protecting pavements and other surfaces during scaffolding. Made available in folding finish, these are easy to handle and come in aluminium structure finish which makes it light weight as well as provide for steady usage. Some of its features include coming with support of nail holes for extra stability, suitable to be used for site walkways/pedestrian barriers, available in OEM construction choice, offer superior safety for workers, choice of different surface finishes like powder coated, zinc plated and hot dipped galvanized.





# PRODUCTS



## BASE JACK

Base Jack offered can be made available by us in different outer diameter pipe options as well as size choices of 150\*350 mm /450 mm /600 mm and others as per the specific demands of the customers. These jacks can be provided with different loading capacities of 5 to 6 tons as well as in versatile, heavy duty steel construction. Some of its features include modular scaffold system, allowing for reliable usage as well as easy construction and dismantling possibilities, choice of electro-plated, hot dip galvanized and other surface treatment finishes, different base plate size choices, product undergoing extensive checks for every process, choice of OEM and ODM services as demanded by customers.



## M.S. PIPE

M.S. Pipes are available on hire for all infrastructural & construction projects. It is made of 40 NB "B Class pipe".

MS PIPE are available in the following sizes:-

3 Meter

6 Meter

## TOP CUP

Casting Top Cup offered comprise 3 lugs and come in cast steel/malleable iron casting based construction finish as well as in different weight options to pick from. Further, these can be offered in choice of different colours and high quality, best price finish. Some of its features include available as per standard specifications, provides for excellent performance support, size choice from 0.9m to 2.5m, choice of hot dip galvanized finish, available certification choices of EN74, ISO and others; finding suitability for use in steel shuttering for tightening pipes, choice of sheet metal/forged finish among others.



## CLAMPS

### FORGED CLAMPS-SWIVEL & FIXED

Forged Coupler (Fixed and Swivel) offered come in quality construction finish and can be made available in fixed or swivel design options. Featuring forged steel finish, these couplers can be made available by us as per different industry standards like ISO, EN, BS and others. Some of its features include available in different construction and nut sizes, can also be made available in malleable iron finish, choice of different surface treatment like electroplate, hot dip, zinc plate galvanized and others; comes with superior rust protection among others.



### SHEETED CLAMPS-FIXED & SWIVEL

Sheet Metal Couplers (Right Angle & Swivel) offered feature quality construction finish and perfectly match up with the specific performance requirements of the customers. For durable usage, these couplers can be offered in sheet choices of 4 to 5mm as well as per industry standards like EN 74, BS and others. Some of its features include availability in quality sheet metal finish, can be developed for pipes of different inner and outer diameters, choice of OEM construction, choice of drop forged or pressed construction, providing for reliable usage support among others.



## BOTTOM CUP

Pressed Bottom Cup offered is made available by us in superior grade sheet metal construction finish and weight choices to pick from. As quality and performance assured scaffolding parts, these different diameter and thickness options like 2.5, 3.0, 3.25, 4.0mm and others can also be offered to customers. Some of its features include choice of different surface finishes like hot dip galvanized, painted; choice of different industry standards like EN74, BS1139; allows for easy assembling/disassembling support; application suitability in areas like bridge, tunnel, shipbuilding, railway, airport, dock industry and others.



## LEDGER BLADE

Ledger Blade Scaffolding System offered come in precision forged construction finish and can be offered in different weights as per the specific demands of the customers. With standard sizes, these can be provided with zinc plating, hot dip galvanized, painted and other finishes choices to pick from. Some of its features include provide suitable usage in cuplock scaffolding, high quality finish, choice of different lengths, easy to assemble and dismantle, provide for strong and reliable usage, suitable for interior building construction among others.



## SAFETY NETS

Scaffold is very important device in constructions requiring safety protection for both its workers and the people around the scaffold. Scaffold netting can be knit polyester, high density polyethylene, polypropylene, PVC-coated polyester, or knitted polyethylene fabrics.

Mainly used to cover building under construction or re-construction, also used as sport fencing, temporary fencing, feed lots, chicken farms, public areas etc. Function: To prevent people or objects falling and to avoid or reduce falls and physical attack damage. Guarding screen barrier for workers and pedestrians walking near the base of a scaffolding structure.

## SCAFFOLDING ACCESSORIES



### M.S WALKWAY PLATFORM

M.S Walkway Platform offered features precision construction finish and provides for greater dimensional stability. Further, its superior coated finish also makes it suitable for use in corrosive environment. We ensure these outdoor scaffolding also come with options like better impact resistance, long service life, light Weight & high strength finish and non-electrical conductivity. Some of its features include galvanized mild steel finish, serrated grid with surface treatment options of painting/hot dip galvanized, bearing bar specification options from 20 x 3 to 100 x 10mm, bearing bar pitch options of 12.5mm, 15mm, 25mm, 30mm and others.



### GI WALK BOARD

Our offered galvanized iron walk boards are manufactured by using superior quality steel procured from trusted vendors with use of latest machines. These boards are well accepted among our clients for high strength and rust free aspects. Our team of astute professional design these boards in various specifications, thus enabling us to serve vast clientele base with utmost satisfaction.

**Features:**

- Resilient design
- Dimensional accuracy
- Corrosion resistant

## MOBILE SCAFFOLDING UNITS



### SCAFFOLDING STAIR CASE UNITS

Scaffolding Stair offered comprise precision designed and constructed range of Industrial Scaffold Stairs that are manufactured as per requirements of customers by making use of high-grade material sourced from authentic vendors. These stairs also coming tested on defined finish parameters so as to ensure in them adherence with set industry standards and norms. Providing for simple installation and durable usage support, these also come in strong construction finish to provide for long lasting usage.



### MOBILE SCAFFOLDING TOWERS

A very popular scaffold system features self locking couplers, performed platforms, castors and full adjustable stabilizing legs. The units are quickly assembled and easily shifted due to its light weight.



### H-FRAMES

We have gained expertise in manufacture, export and supply premium quality H Frame Scaffolding System. It consists of rigid welded frame of two Vertical and Horizontal pipes which are interconnected by scissor type Cross Braces. The offered system is available in different specifications to meet the diverse needs of the clients. In order to manufacture this system as per the set industry standards, our professionals use high quality raw material and advanced technology. Offered H Frame Scaffolding System is available at industry leading prices.

**Features:**

- Longevity
- High strength
- Robustness
- Rust resistance

**Specification:**  
The verticals are made of 40NB Medium/ Heavy class pipes and Horizontals are made of 40NB Light/ Medium class pipes. In order to connect two 'H' frames vertically 50NB Socket or 38OD Spigots are welded at one end of both the verticals. Cross Bracings are made of 25/20NB Medium or Light class pipes.

Apart from the regular type of 'H' frames, we also provide Walkthrough Frames and Ladder / Mason Frames. Walkthrough frames provide an easy access for human mobilization with clear head room throughout the erected scaffolding structure. Ladder / Mason frame facilitates working platforms at different heights by fitting walkway planks on Horizontals located at multiple levels of the frame.

|                   |                   |
|-------------------|-------------------|
| Vertical Member   | 48.3 mm OD x 3 mm |
| Horizontal Member | 48.3 mm OD x 3 mm |
| Socket Member     | 60.3 mm OD x 3 mm |
| Cross Bracing     | MS TUBE 25 mm     |

Frame size: 1000/ 1250mmx2000 / 2500 /1500/1000mm

Cross Braces:

Scissor type cross braces used to interlink frames are made out of 27 OD tube suitable for H frame spacing of 2.5mts,2.0mts,1.5mts and 1.0mts.Other size are available on request



# PORTFOLIO



ADVAITH HYUNDAI

MUMBAI INT.  
AIRPORTDR. REDDY'S  
LABS, DUVVADABANGALORE  
INT. AIRPORTDR. REDDY'S LABS  
HYDDR. REDDY'S LABS  
PHYDIBHIMAVARAMGSK PROJECT,  
SHIMIZUHIRANANDANI,  
L&TPALLADIUM,  
PHOENIX MILLS

# CLIENTS

